

OEJF AD 2.1 AERODROME LOCATION INDICATOR AND NAME**OEJF - JEDDAH / King Faisal Naval Base****OEJF AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	212053N 0391023E
2	Direction and distance from (city)	R174 FM jeddah 17km
3	Elevation/Reference temperature	16 FT
4	Geoid undulation at AD ELEV PSN	13.76FT
5	MAG VAR/Annual change	3°E (2015)0.07° Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	King Faisal Naval Base TEL: +966 12 6090190 FAX: +966 12 6090015
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Controlled AD

OEJF AD 2.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	H24
9	Handling	H24
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

OEJF AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	JP5
3	Fuelling facilities/capacity	Fuel Truck
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

OEJF AD 2.5 PASSENGER FACILITIES

1	Hotels	NIL
2	Restaurants	NIL
3	Transportation	NIL
4	Medical facilities	Ambulance
5	Bank and Post Office	NIL
6	Tourist Office	NIL
7	Remarks	NIL

OEJF AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 5
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

OEJF AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

OEJF AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	NIL
2	Taxiway width, surface and strength	23M
3	Altimeter checkpoint location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

OEJF AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	NIL
2	RWY and TWY markings and LGT	NIL
3	Stop bars	NIL
4	Remarks	NIL

OEJF AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
NIL	NIL	NIL	NIL	NIL	NIL

OEJF AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

OEJF AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
15	156°	2743 x 45	48/F/B/W/T asphalt	212133.54N 0391003.48E	12FT
33	336°	2743 X 45	48/F/B/W/T asphalt	212012.74N 0391042.65E	16FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
(+0.05%)	300 X 45	NIL	NIL	NIL	NIL
(-0.05%)	60 X 45	NIL	NIL	NIL	NIL

OEJF AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
15	2743	2743	3043	2743	NIL
33	2743	2743	2803	2743	NIL

OEJF AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
15	NIL	Green	PAPI 14.22M	NIL	NIL	273 M Yellow LIH	Red	NIL	NIL
33	Simple 360M	Green	PAPI 16.076M	NIL	NIL	273 M Yellow LIH	Red	NIL	NIL

OEJF AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

OEJF AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	H1: 212015.5741N 0391048.5316E H2: 212026.8248N 0391043.1114E
2	TLOF and/or FATO elevation M/FT	H1: 9.366M H2: 9.325M
3	TLOF and FATO area dimensions, surface, strength, marking	H1: TLOF 9.6 X 9.6M FATO 28 X 28M H2: TLOF 9.6 X 9.6M FATO 28 X 28M
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

OEJF AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	ATZ: 212252N 0390750E then a clockwise arc of radius 3NM centered on 212048N 0391012E then to 211955N 0390706E - 212127N 0390000E - 212333N 0390000E then back to starting point.
2	Vertical limits	MSL to 2500 FT
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT
6	Remarks	AD control within ATZ and corridor .

OEJF AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
TWR	Naval base TWR	143.350 MHZ	H24	NIL
	Faisal TWR	340.900 MHZ	HO 24	

OEJF AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
DVORTAC	KFB	113.1MHZ CH 78X	H24	212047.8N 0391016.1E	100FT	NIL
LOC RWY 33 ILS CAT I	IKFN	108.9MHZ	H24	212142.8N 0390959.0E		
GP	IKFN		H24	212020.9N 0391034.1E	20FT	
DME	IKFN	CH26X	H24	212020.9N 0391034.1E	20FT	

OEJF AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OEJF AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OEJF AD 2.22 FLIGHT PROCEDURES

NIL

OEJF AD 2.23 ADDITIONAL INFORMATION

NIL

OEJF AD 2.24 CHARTS RELATED TO AN AERODROME

Chart name

Page

Aerodrome Chart - ICAO

AD 2-OEJF-7


INTENTIONALLY BLANK

AERODROME CHART - ICAO

21°20'53"N
039°10'23"E ELEV 16

TWR: 143.35 340.90
ATIS:
SMC:

**JEDDAH/
King Faisal Navy Base**



CHANGE : BRG strength, SWY, Declared Distance, PAPI, ILS/LOC & GP/DME Freq. & Simple approach lighting system added

DECLARED DISTANCES

RWY	TORA	TODA	ASDA	LDA
15	2743	2743	3043	2743
33	2743	2743	2803	2743

INTENTIONALLY BLANK