

**OESB AD 2.1 AERODROME LOCATION INDICATOR AND NAME****OESB - SHAIBAH / Shaibah****OESB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	223054N 0535754E 132° / 322 NM FM KFA VORTAC
2	Direction and distance from (city)	NIL
3	Elevation/Reference temperature	274 FT/ -
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	2° E (2015) 0.05°Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	SAUDI ARAMCO P.O.Box 80 Dhahran - 31311 TEL: +966 13 8774991 FAX: +966 13 8774996
7	Types of traffic permitted (IFR/VFR)	IFR and VFR
8	Remarks	TIBA : 122.800 MHZ Shaibah Dispatch 135.97 MHZ

**OESB AD 2.3 OPERATIONAL HOURS**

1	AD Administration	H24
2	Customs and immigration	
3	Health and sanitation	On request
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	On request
8	Fuelling	By prior coordination
9	Handling	On request
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

**OESB AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	NIL
2	Fuel/oil types	JET A1/ -
3	Fuelling facilities/capacity	Three tanks/ 25,200 USG
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

**OESB AD 2.5 PASSENGER FACILITIES**

1	Hotels	NIL
2	Restaurants	ARAMCO dining facility
3	Transportation	Saudi ARAMCO
4	Medical facilities	ARAMCO clinic
5	Bank and Post Office	ATM available
6	Tourist Office	NIL
7	Remarks	NIL

**OESB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	CAT 6
2	Rescue equipment	Oshkosh Striker 3000
3	Capability for removal of disabled aircraft	
4	Remarks	NIL

**OESB AD 2.7 SEASONAL AVAILABILITY - CLEARING**

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

**OESB AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	Apron surface and strength	Surface: Concrete
2	Taxiway width, surface and strength	Surface: Concrete
3	Altimeter checkpoint location and elevation	Location: - Elevation:- 274FT
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

**OESB AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Parking position markings available
2	RWY and TWY markings and LGT	RWY marking: Centerline, Edge line, Midfield stripe, THR RWY lighting: Threshold, Edge and Runway end TWY marking: Centerline, Edge TWY lighting: Edge
3	Stop bars	NIL
4	Remarks	NIL

**OESB AD 2.10 AERODROME OBSTACLES**

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
09/27	Sand Dunes	NIL	North 613 FT/650 FT/ 608 FT/495 FT South 678 FT/630 FT/ 650 FT/779 FT	NIL	NIL

**OESB AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET Office	Terminal dispatch office
2	Hours of service MET Office outside hours	On request
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

**OESB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
09	86° MAG	3048 x 30	Concrete	NIL	THR 274 FT
27	266° MAG	3048 x 30	Concrete	NIL	THR 274 FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
NIL	914 x 30	NIL	3048 x 30	NIL	NIL
NIL	914 x 30	NIL	3048 x 30	NIL	NIL

**OESB AD 2.13 DECLARED DISTANCES**

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
09	3048	3132	3048	2448	NIL
27	3048	3132	3048	2448	NIL

**OESB AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
09	ODALS	LIH	PAPI	NIL	NIL	LIH	LIL	NIL	NIL
27	ODALS	LIH	PAPI	NIL	NIL	LIH	LIL	NIL	NIL

**OESB AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

**OESB AD 2.16 HELICOPTER LANDING AREA**

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

**OESB AD 2.17 ATS AIRSPACE**

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT
6	Remarks	TIBA: 122.800 MHZ

**OESB AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
A/G	Shaibah Dispatch	135.970 MHZ	HJ	SAUDI ARAMCO
TIBA	Shayba	122.800 MHZ	H24	
HF		5225 KHZ	HJ	
		1420 KHZ	H24	

**OESB AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
GPS	NIL	NIL	H24	NIL	NIL	GPS RWY 09/27

**OESB AD 2.20 LOCAL TRAFFIC REGULATIONS**

NIL

**OESB AD 2.21 NOISE ABATEMENT PROCEDURES**

NIL

**OESB AD 2.22 FLIGHT PROCEDURES**

NIL

**OESB AD 2.23 ADDITIONAL INFORMATION**

NIL

**OESB AD 2.24 CHARTS RELATED TO AN AERODROME**

Chart name

Page

**INTENTIONALLY BLANK**