

OEPF AD 2.1 AERODROME LOCATION INDICATOR AND NAME**OEPF - PUMP STATION 6/ Pump Station 6****OEPF AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	244236N 0445754E 239° / 145 NM FM KFA VORTAC
2	Direction and distance from (city)	NIL
3	Elevation/Reference temperature	2 534 FT/ NIL
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	3°E (2015)0.05° Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	SAUDI ARAMCO P.O.Box 80 Dhahran - 31311 TEL: +966 13 8774991 FAX: +966 13 8774996
7	Types of traffic permitted (IFR/VFR)	IFR and VFR
8	Remarks	TIBA: 122.800 MHZ Pump station 6 Dispatch 135.95 MHZ

OEPF AD 2.3 OPERATIONAL HOURS

+	1	AD Administration	Other (Prior Scheduling Required)
	2	Customs and immigration	NIL
	3	Health and sanitation	NIL
	4	AIS Briefing Office	NIL
	5	ATS Reporting Office (ARO)	NIL
	6	MET Briefing Office	NIL
	7	ATS	NIL
	8	Fuelling	By prior coordination
	9	Handling	NIL
	10	Security	H24
	11	De-icing	NIL
	12	Remarks	NIL

OEPF AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	JET A1
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

OEPF AD 2.5 PASSENGER FACILITIES

1	Hotels	NIL
2	Restaurants	NIL
3	Transportation	NIL
4	Medical facilities	NIL
5	Bank and Post Office	NIL
6	Tourist Office	NIL
7	Remarks	NIL

OEPF AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

+	1	AD category for fire fighting	CAT 6	+
+	2	Rescue equipment	Oshkosh Striker 3000	+
	3	Capability for removal of disabled aircraft	NIL	
	4	Remarks	NIL	

OEPF AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

OEPF AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Asphalt
2	Taxiway width, surface and strength	Surface: Asphalt
3	Altimeter checkpoint location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

OEPF AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	NIL
2	RWY and TWY markings and LGT	NIL
3	Stop bars	NIL
4	Remarks	NIL

OEPF AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
RWY 35	Tower	-	East 2850 FT	-	NIL

OEPF AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

OEPF AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
17	NIL	2426 x 35	Asphalt	NIL	2534 FT
35	NIL	2426 x 35	Asphalt	NIL	2534 FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
1%	NIL	NIL	2426 x 35	NIL	NIL
-1%	NIL	NIL	2426 x 35	NIL	NIL

OEPF AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
17	2426	2426	2426	2426	NIL
35	2426	2426	2426	2426	NIL

OEPF AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
17	ODALS	LIH	VASIS	NIL	NIL	LIH	LIL	NIL	NIL
35	ODALS	LIH	VASIS	NIL	NIL	LIH	LIL	NIL	NIL

OEPF AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

OEPF AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

OEPF AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT
6	Remarks	TIBA: 122.800 MHZ

OEPF AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
A/G	Pump Station 6 Dispatch	135.950 MHZ	sunrise to sunset	NIL
TIBA	Pump Station 6	122.800 MHZ	H24	ARAMCO

OEPF AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL

OEPF AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OEPF AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OEPF AD 2.22 FLIGHT PROCEDURES

NIL

OEPF AD 2.23 ADDITIONAL INFORMATION

NIL

OEPF AD 2.24 CHARTS RELATED TO AN AERODROME

Chart name

Page